



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestlabs.com
Lic# C8-0000068-LIC

Informational Use Only - Not For Regulatory Use

Sour Diesel

Sample ID: 2003CCT0831.2176	Produced:	Client:	
Strain: Sour Diesel	Collected: 03/19/2020	Gló	CCTL-RD-2648 2649 2650 2651 2652
Matrix: Concentrates & Extracts	Received: 03/19/2020	Lic. #	2653 2654 2655 2656 2657 2658 2659
Type: Distillate	Completed: 03/23/2020	18417 Bryant St	2660 2661 2662 2663 2664 2665 2666
Sample Size: 10 units; Batch:	Batch#: GEXT-PO-9865	Northridge, CA 91325	



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/23/2020	Complete
Residual Solvents	03/20/2020	Pass
Microbials	03/22/2020	Pass
Mycotoxins	03/23/2020	Pass
Pesticides	03/23/2020	Pass
Heavy Metals	03/22/2020	Pass
Foreign Matter	03/22/2020	Pass

Cannabinoids

Complete

84.875%	0.263%	88.873%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Result	Result
	%	%	%	mg/g
THCa	0.0054	0.0018	ND	ND
Δ9-THC	0.0070	0.0023	84.875	848.75
Δ8-THC	0.0064	0.0021	ND	ND
THCV	0.0062	0.0021	0.731	7.31
CBDa	0.0054	0.0018	ND	ND
CBD	0.0062	0.0021	0.263	2.63
CBDV	0.0066	0.0022	ND	ND
CBN	0.0058	0.0019	0.513	5.13
CBGa	0.0066	0.0022	ND	ND
CBG	0.0061	0.0020	1.586	15.86
CBC	0.0068	0.0022	0.906	9.06
Total THC			84.875	848.75
Total CBD			0.263	2.63
Total			88.873	888.73

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: HPLC UV-DAD; Method: CCTL-PM002.

Not Required	Not Required	Pass
Moisture Content	Water Activity	Foreign Matter
Moisture Analyzer	Rotronic AwTherm	Intertek Magnifier Lamp



S. M. Annigeri

Satish Annigeri
Scientific Director
03/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign Material Method: CCTL-QC-0026. Moisture Method: CCTL-QC-0027. Water Activity Method: CCTL-QC-0028 This product has been tested by California Cannabis Testing Lab (CCTL) using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. CCTL makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of CCTL.



CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Informational Use Only - Not For Regulatory Use

Sour Diesel

Sample ID: 2003CCT0831.2176	Produced:	Client:
Strain: Sour Diesel	Collected: 03/19/2020	Glo
Matrix: Concentrates & Extracts	Received: 03/19/2020	2653 2654 2655 2656 2657 2658 2659
Type: Distillate	Completed: 03/23/2020	2660 2661 2662 2663 2664 2665 2666
Sample Size: 10 units; Batch:	Batch#: GEXT-PO-9865	18417 Bryant St
		Northridge, CA 91325

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.04	0.078	0.1	ND	Pass	Fludioxonil	0.02	0.078	0.1	ND	Pass
Acephate	0.005	0.078	0.1	ND	Pass	Hexythiazox	0.005	0.078	0.1	ND	Pass
Acequinocyl	0.04	0.078	0.1	ND	Pass	Imazalil	0.005	0.078	0.005	ND	Pass
Acetamiprid	0.005	0.078	0.1	ND	Pass	Imidacloprid	0.005	0.078	5	ND	Pass
Aldicarb	0.005	0.078	0.005	ND	Pass	Kresoxim Methyl	0.005	0.078	0.1	ND	Pass
Azoxystrobin	0.02	0.078	0.1	ND	Pass	Malathion	0.039	0.078	0.5	ND	Pass
Bifenazate	0.005	0.078	0.1	ND	Pass	Metalaxyl	0.005	0.078	2	ND	Pass
Bifenthrin	0.01	0.078	3	ND	Pass	Methiocarb	0.005	0.078	0.005	ND	Pass
Boscalid	0.005	0.078	0.1	ND	Pass	Methomyl	0.005	0.078	1	ND	Pass
Captan	0.3	0.4	0.7	ND	Pass	Mevinphos	0.005	0.078	0.005	ND	Pass
Carbaryl	0.005	0.078	0.5	ND	Pass	Myclobutanil	0.005	0.078	0.1	ND	Pass
Carbofuran	0.005	0.078	0.005	ND	Pass	Naled	0.005	0.078	0.1	ND	Pass
Chlorantraniliprole	0.005	0.078	10	ND	Pass	Oxamyl	0.005	0.078	0.5	ND	Pass
Chlordane	0.005	0.078	0.005	ND	Pass	Pacllobutrazol	0.005	0.078	0.005	ND	Pass
Chlorfenapyr	0.01	0.078	0.01	ND	Pass	Parathion Methyl	0.02	0.078	0.02	ND	Pass
Chlorpyrifos	0.02	0.078	0.02	ND	Pass	Pentachloronitrobenzene	0.005	0.078	0.1	ND	Pass
Clofentezine	0.005	0.078	0.1	ND	Pass	Permethrin	0.02	0.078	0.5	ND	Pass
Coumaphos	0.01	0.078	0.01	ND	Pass	Phosmet	0.005	0.078	0.1	ND	Pass
Cyfluthrin	0.3	0.6	2	ND	Pass	Piperonyl Butoxide	0.005	0.078	3	<LOQ	Pass
Cypermethrin	0.15	0.3	1	ND	Pass	Prallethrin	0.03	0.078	0.1	ND	Pass
Daminozide	0.036	0.078	0.036	ND	Pass	Propiconazole	0.005	0.078	0.1	ND	Pass
Diazinon	0.005	0.078	0.1	ND	Pass	Propoxur	0.005	0.078	0.005	ND	Pass
Dichlorvos	0.039	0.078	0.039	ND	Pass	Pyrethrins	0.05	0.1	0.5	ND	Pass
Dimethoate	0.005	0.078	0.005	ND	Pass	Pyridaben	0.005	0.078	0.1	ND	Pass
Dimethomorph	0.078	0.313	2	ND	Pass	Spinetoram	0.005	0.078	0.1	ND	Pass
Ethoprophos	0.005	0.078	0.005	ND	Pass	Spinosad	0.005	0.078	0.1	ND	Pass
Etofenprox	0.005	0.078	0.005	ND	Pass	Spiromesifen	0.005	0.078	0.1	ND	Pass
Etoxazole	0.005	0.078	0.1	ND	Pass	Spirotetramat	0.005	0.078	0.1	ND	Pass
Fenhexamid	0.015	0.078	0.1	ND	Pass	Spiroxamine	0.005	0.078	0.005	ND	Pass
Fenoxycarb	0.005	0.078	0.005	ND	Pass	Tebuconazole	0.005	0.078	0.1	0.078	Pass
Fenpyroximate	0.005	0.078	0.1	ND	Pass	Thiacloprid	0.005	0.078	0.005	ND	Pass
Fipronil	0.005	0.078	0.005	ND	Pass	Thiamethoxam	0.005	0.078	5	ND	Pass
Fonicamid	0.005	0.078	0.1	ND	Pass	Trifloxystrobin	0.005	0.078	0.1	ND	Pass

Date Tested: 03/23/2020
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS, GC/MS; Method: CCTL-PM020 (LC/MS), CCTL-PM030 (GC/MS).



S. M. Anigeri

Satish Anigeri
Scientific Director
03/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Informational Use Only - Not For Regulatory Use

Sour Diesel

Sample ID: 2003CCT0831.2176	Produced:	Client:	
Strain: Sour Diesel	Collected: 03/19/2020	Glo	CCTL-RD-2648 2649 2650 2651 2652
Matrix: Concentrates & Extracts	Received: 03/19/2020	Lic. #	2653 2654 2655 2656 2657 2658 2659
Type: Distillate	Completed: 03/23/2020	18417 Bryant St	2660 2661 2662 2663 2664 2665 2666
Sample Size: 10 units; Batch:	Batch#: GEXT-PO-9865	Northridge, CA 91325	

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/22/2020

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: qPCR; Method: CCTL-QC-0010, CCTL-QC-0011, CCTL-QC-0012.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.0049	0.0098	20	ND	Pass
B2	0.0049	0.0098	20	ND	Pass
G1	0.0049	0.0098	20	ND	Pass
G2	0.0049	0.0098	20	ND	Pass
Total Aflatoxins	0.0049	0.0098	20	ND	Pass
Ochratoxin A	0.0049	0.039	20	ND	Pass

Date Tested: 03/23/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: LC/MS; Method: CCTL-PM020.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0000218	0.00006606	0.2	0.001679866	Pass
Cadmium	0.00008009	0.0002427	0.2	0.000360351	Pass
Lead	0.00004141	0.0001255	0.5	0.011015522	Pass
Mercury	0.00002323	0.0000704	0.1	0.000469384	Pass

Date Tested: 03/22/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



S. M. Anigeri

Satish Anigeri
Scientific Director
03/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CC Testing Labs
18417 Bryant St
Northridge, CA 91325

(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Informational Use Only - Not For Regulatory Use

Sour Diesel

Sample ID: 2003CCT0831.2176	Produced:	Client:	
Strain: Sour Diesel	Collected: 03/19/2020	Glo	CCTL-RD-2648 2649 2650 2651 2652
Matrix: Concentrates & Extracts	Received: 03/19/2020	Lic. #	2653 2654 2655 2656 2657 2658 2659
Type: Distillate	Completed: 03/23/2020	18417 Bryant St	2660 2661 2662 2663 2664 2665 2666
Sample Size: 10 units; Batch:	Batch#: GEXT-PO-9865	Northridge, CA 91325	

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.05	0.1	1	ND	Pass
Acetone	0.1	0.2	5000	ND	Pass
Acetonitrile	0.1	0.2	410	ND	Pass
Benzene	0.05	0.1	1	ND	Pass
Butane	0.25	0.625	5000	ND	Pass
Chloroform	0.125	0.25	1	ND	Pass
Ethanol	0.1	0.2	5000	431.56	Pass
Ethyl-Acetate	0.1	0.2	5000	ND	Pass
Ethyl-Ether	0.1	0.2	5000	ND	Pass
Ethylene Oxide	0.1	0.2	1	ND	Pass
Heptane	0.25	0.625	5000	ND	Pass
Isopropanol	0.1	0.2	5000	ND	Pass
Methanol	0.1	0.2	3000	ND	Pass
Methylene-Chloride	0.125	0.25	1	ND	Pass
n-Hexane	0.125	0.25	290	ND	Pass
Pentane	0.25	0.625	5000	ND	Pass
Propane	1	5	5000	ND	Pass
Toluene	1	5	890	ND	Pass
Trichloroethene	0.05	0.1	1	ND	Pass
Xylenes	0.25	0.625	2170	ND	Pass

Date Tested: 03/20/2020

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: GC; Method: CCTL-PM010.



S. M. Anigeri

Satish Anigeri
Scientific Director
03/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com





CC Testing Labs
18417 Bryant St
Northridge, CA 91325


(818) 797-1500
http://www.cctestinglabs.com
Lic# C8-0000068-LIC

Sour Diesel

Sample ID: 2003CCT0831.2176	Produced:	Client	
Strain: Sour Diesel	Collected: 03/19/2020	Glo	CCTL-RD-2648 2649 2650 2651 2652
Matrix: Concentrates & Extracts	Received: 03/19/2020	Lic. #	2653 2654 2655 2656 2657 2658 2659
Type: Distillate	Completed: 03/23/2020	18417 Bryant St	2660 2661 2662 2663 2664 2665 2666
Sample Size: 10 units; Batch:	Batch#: GEXT-PO-9865	Northridge, CA 91325	

Vitamin E Acetate

Analyte	LOD %	LOQ %	Mass %	Mass mg/g
Vitamin E Acetate			ND	ND



LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Instrument: ICP-MS; Method: CCTL-PM005.



Satish Annigeri
Scientific Director
03/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

