NIVA

God's Gift Overall Status: Pass

Sample ID: 2007NIVA0142.0343 Strain: God's Gift - Indica

Matrix: Concentrates & Extracts Type: Distillate

Sample Size: ; Batch Size:

Produced:

Collected: Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-QE-4309 Client God's Gift

Lic.# 162 Sur Boas Dr

Santa Rosa, CA 95409



Pass
Foreign Matter

Pass
Heavy Metals
SORTS.4.500 ICP-MS

**Pass** 

Moisture

Pesticides

**Pass**Microbials

SOP.TS.4.600 PathogenDx

Solvents SOPTS.4.400 GC-N Not Tested NT Water Activity

85.947

Pass
Mycotoxins
SOPTS.4.300 LC-MS/MS

## Cannabinoids (SOP.TS.4.100 HPLC Analysis)

22.222		0.4004	05.0	F0.	\ I=		
80.99%		0.60%	85.9	5%	NT		
809.88 mg/g		5.96 mg/g	859.47	'mg/g			
Total THC		Total CBD	Total Cann	nabinoids	Moisture		
Analyte	LOD	LOQ	Mass	Mass			
	mg/g	mg/g	mg/g	%			
Δ9-THC	0.2400	0.8000	809.88	80.99			
CBG	0.2400	0.8000	24.08	2.41			
CBN	0.2400	0.8000	13.04	1.30			
CBD	0.2400	0.8000	5.21	0.52			
THCV	0.2400	0.8000	4.34	0.43			
CBGa	0.2400	0.8000	2.06	0.21			
CBDa	0.2400	0.8000	0.86	0.09			
CBC	0.2400	0.8000	ND	ND			
CBDV	0.2400	0.8000	ND	ND			
THCa	0.2400	0.8000	ND	ND			
Δ8-THC	0.2400	0.8000	ND	ND			
Total THC			809.88	80.988			
Total CBD			5.96	0.596			

Density: g per 1 mL

Total

Cannabinoids Date Tested: 07/16/2020

Total THC = (THCa  $\times$  0.877) +  $\Delta$ 9-THC; Total CBD = (CBDa  $\times$  0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

859.47

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 07/15/2020







Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

2 of 6

**Overall Status: Pass** 

God's Gift Sample ID: 2007NIVA0142.0343

Strain: God's Gift - Indica

Matrix: Concentrates & Extracts Type: Distillate

Sample Size: ; Batch Size:

Produced:

Collected:

Received: 07/14/2020 Completed: 07/17/2020 Batch#: GEXT-QE-4309

Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

Microbials **Pass** 

Result Analyte

Aspergillus flavus Aspergillus fumigatus Aspergillus niger Aspergillus terreus Shiga toxin-producing E. Coli Salmonella SPP

CFU/g Not Detected in 1g Not Detected in 1g Not Detected in 1g Not Detected in 1g Not Detected in 1g

Not Detected in 1g



Date Tested: 07/17/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)



Kris Marsh Lab Director 07/17/2020

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



**Pass** 

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

3 of 6

God's Gift

Produced:

**Overall Status: Pass** 

Sample ID: 2007NIVA0142.0343 Strain: God's Gift - Indica

Collected:

Client

Matrix: Concentrates & Extracts

Received: 07/14/2020

Lic.#

Type: Distillate

Completed: 07/17/2020

162 Sur Boas Dr

Sample Size: ; Batch Size: Batch#: GEXT-QE-4309

Santa Rosa, CA 95409

Mycotoxins
------------

Analyte	LOD	LOQ	Limit	Mass	Status
	μg/kg	µg/kg	μg/kg	μg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Ochratoxin A	16	20	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass



Date Tested: 07/16/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS



Kris Marsh Lab Director 07/17/2020 Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



4 of 6

**Overall Status: Pass** God's Gift

Sample ID: 2007NIVA0142.0343

Strain: God's Gift - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020

Completed: 07/17/2020

Batch#: GEXT-QE-4309

Client

Lic.#

162 Sur Boas Dr

Santa Rosa, CA 95409

**Heavy Metals Pass** 

Analyte	LOD	LOQ	Limit	Mass	Status
	μg/g	μg/g	µg/g	μg/g	
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	<loq< th=""><th>Pass</th></loq<>	Pass
Mercury	0.005	0.020	0.100	ND	Pass



Date Tested: 07/17/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



Lab Director www.confidentcannabis.com 07/17/2020

Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

5 of 6

**Overall Status: Pass** God's Gift

Sample ID: 2007NIVA0142.0343

Strain: God's Gift - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced: Collected:

Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-QE-4309

Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

**Pesticides Pass** 

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	μg/g	µg/g	μg/g			µg/g	µg/g	μg/g	µg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metalaxyl	0.010	0.020	2.00	ND	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantraniliprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoxazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Flonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 07/16/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Kris Marsh

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866



(213) 225-6486 thenivalabs.com/ Lic# C8-000024-LIC

6 of 6

God's Gift Overall Status: Pass

Sample ID: 2007NIVA0142.0343

Strain: God's Gift - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-QE-4309 Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

## **Residual Solvents**

Analyte	LOD	LOQ	Limit	Mass	Status
	μg/g	µg/g	µg/g	μg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	ND	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000,000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

LABS

Date Tested: 07/17/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Kris Marsh Lab Director Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

