



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-000024-LIC

QA Testing

1 of 6

Lodi Dodi

Overall Status: Pass

Sample ID: 2007NIVA0150.0360
Strain: Lodi Dodi - Sativa
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 07/14/2020
Completed: 07/22/2020
Batch#: GEXT-BP-2246

Client:
Glo Extracts
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409



Pass
Foreign Matter
SORTS 4.001

Pass
Heavy Metals
SORTS 4.500 ICP-MS

Not Tested
Moisture
SORTS 4.001

Pass
Pesticides
SORTS 4.301 GC-MS/MS
SORTS 4.300 LC-MS/MS

Pass
Microbials
SORTS 4.600 Pathogen/Dx

Pass
Solvents
SORTS 4.400 GC-MS

Not Tested
NT
Water Activity
SORTS 4.003

Pass
Mycotoxins
SORTS 4.300 LC-MS/MS

Cannabinoids (SORTS 4.100 HPLC Analysis)

81.23%
812.26 mg/g
Total THC

0.49%
4.90 mg/g
Total CBD

86.04%
860.41 mg/g
Total Cannabinoids

NT
Moisture

Analyte	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %
Δ^9 -THC	0.2400	0.8000	812.26	81.23
CBG	0.2400	0.8000	24.07	2.41
CBN	0.2400	0.8000	13.19	1.32
CBD	0.2400	0.8000	4.90	0.49
THCV	0.2400	0.8000	4.16	0.42
CBGa	0.2400	0.8000	1.83	0.18
CBC	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	<LOQ	<LOQ
CBDV	0.2400	0.8000	ND	ND
THCa	0.2400	0.8000	ND	ND
Δ^8 -THC	0.2400	0.8000	ND	ND
Total THC			812.26	81.226
Total CBD			4.90	0.490
Total			860.41	86.041

LABS

Density: g per 1 mL

Cannabinoids Date Tested: 07/22/2020

Total THC = (THCa x 0.877) + Δ^9 -THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 07/15/2020



Kris Marsh
Kris Marsh
Lab Director
07/22/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All test all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

2 of 6

Lodi Dodi

Overall Status: Pass

Sample ID: 2007NIVA0150.0360	Produced:	Client
Strain: Lodi Dodi - Sativa	Collected:	
Matrix: Concentrates & Extracts	Received: 07/14/2020	Lic. #
Type: Distillate	Completed: 07/22/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-BP-2246	Santa Rosa, CA 95409

Microbials

Pass

Analyte

Result

Analyte	Result
Aspergillus flavus	CFU/g
Aspergillus fumigatus	Not Detected in 1g
Aspergillus niger	Not Detected in 1g
Aspergillus terreus	Not Detected in 1g
Shiga toxin-producing E. Coli	Not Detected in 1g
Salmonella SPP	Not Detected in 1g

THE
NIVA
LABS

Date Tested: 07/22/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)




Kris Marsh
Lab Director
07/22/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-000024-LIC

QA Testing

3 of 6

Lodi Dodi

Overall Status: Pass

Sample ID: 2007NIVA0150.0360	Produced:	Client
Strain: Lodi Dodi - Sativa	Collected:	
Matrix: Concentrates & Extracts	Received: 07/14/2020	Lic. #
Type: Distillate	Completed: 07/22/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-BP-2246	Santa Rosa, CA 95409

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Ochratoxin A	16	20	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass



Date Tested: 07/22/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS




Kris Marsh
Lab Director
07/22/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

5 of 6

Lodi Dodi

Overall Status: Pass

Sample ID: 2007NIVA0150.0360
Strain: Lodi Dodi - Sativa
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 07/14/2020
Completed: 07/22/2020
Batch#: GEXT-BP-2246

Client
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metalaxyl	0.010	0.020	2.00	ND	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantraniliprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spirosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoxazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Fonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 07/22/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS;

Agilent 7010B GC-MS



Kris Marsh
Lab Director
07/22/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-000024-LIC

QA Testing

6 of 6

Lodi Dodi

Overall Status: Pass

Sample ID: 2007NIVA0150.0360	Produced:	Client
Strain: Lodi Dodi - Sativa	Collected:	
Matrix: Concentrates & Extracts	Received: 07/14/2020	Lic. #
Type: Distillate	Completed: 07/22/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-BP-2246	Santa Rosa, CA 95409

Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	ND	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	24.622	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 07/22/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Kris Marsh
Lab Director
07/22/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty