Overall Status: Pass

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

1 of 6

**Purple Punch** Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica Matrix: Concentrates & Extracts

Type: Distillate

Sample Size: ; Batch Size:

Produced:

Collected: Received: 07/14/2020

Completed: 07/17/2020

Batch#: GEXT-BP-2246

Client

Glo Extracts

Lic.#

162 Sur Boas Dr

Santa Rosa, CA 95409



**Pass** 

Foreign Matter

**Heavy Metals** 

**Pass** 

Not Tested

Moisture

**Pass** 

Pesticides

**Pass** 

Microbials

SOPTS.4.600 PathogenD

**Pass** 

Solvents

Not Tested NT

Water Activity

**Pass** 

Mycotoxins

SOPTS.4.300 LC-MS/MS

# Cannabinoids (SOP.TS.4.100 HPLC Analysis)

77.87%	
778.73 mg/g	
Total THC	

0.56%

 $5.58 \, \text{mg/g}$ Total CBD 82.57%

825.73 mg/g

**Total Cannabinoids** 

NT

Moisture

Analyte	LOD	LOQ	Mass	Mass	
	mg/g	mg/g	mg/g	%	
Δ9-THC	0.2400	0.8000	778.73	77.87	
CBG	0.2400	0.8000	22.78	2.28	
CBN	0.2400	0.8000	12.44	1.24	
CBD	0.2400	0.8000	4.87	0.49	
THCV	0.2400	0.8000	4.13	0.41	
CBGa	0.2400	0.8000	1.97	0.20	
CBDa	0.2400	0.8000	0.81	0.08	
CBC	0.2400	0.8000	ND	ND	
CBDV	0.2400	0.8000	ND	ND	
THCa	0.2400	0.8000	ND	ND	
Δ8-ΤΗС	0.2400	0.8000	ND	ND	
Total THC			778.73	77.873	
Total CBD			5.58	0.558	
Total			825.73	82.573	

Density: g per 1 mL

Cannabinoids Date Tested: 07/16/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 07/15/2020





Kris Marsh Lab Director 07/17/2020

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

**Overall Status: Pass** 

2 of 6

# **Purple Punch**

Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020 Completed: 07/17/2020 Batch#: GEXT-BP-2246

Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

Analyte	Result
	CFU/g
Aspergillus flavus	Not Detected in 1g
Aspergillus fumigatus	Not Detected in 1g
Aspergillus niger	Not Detected in 1g
Aspergillus terreus	Not Detected in 1g
Shiga toxin-producing E. Coli	Not Detected in 1g
Salmonella SPP	Not Detected in 1g



Date Tested: 07/17/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)



Kris Marsh Lab Director 07/17/2020

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty.

3 of 6

### Purple Punch Overall Status: Pass

Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-BP-2246 Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

Mycotoxins	Pass
------------	------

Analyte	LOD	LOQ	Limit	Mass	Status
	μg/kg	µg/kg	μg/kg	μg/kg	_
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Ochratoxin A	16	20	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass



Date Tested: 07/16/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS



Kris Marsh Lab Director



**Overall Status: Pass** 

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

4 of 6

# **Purple Punch**

Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-BP-2246

Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

**Heavy Metals Pass** 

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	μg/g	μg/g	μg/g	
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	0.105	Pass
Mercury	0.005	0.020	0.100	ND	Pass



Date Tested: 07/17/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Lab Director



5 of 6

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

**Overall Status: Pass** 

**Purple Punch** Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected:

Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-BP-2246

Client Lic.#

> 162 Sur Boas Dr Santa Rosa, CA 95409

**Pesticides Pass** 

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	μg/g	μg/g	μg/g	µg/g			µg/g	µg/g	µg/g	μg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metalaxyl	0.010	0.020	2.00	ND	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantraniliprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoxazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Flonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 07/16/2020

Date Tested: 07/16/2020
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Kris Marsh Lab Director 07/17/2020



6 of 6

(213) 225-6486 thenivalabs.com/ Lic# C8-0000024-LIC

**Overall Status: Pass Purple Punch** 

Sample ID: 2007NIVA0142.0339

Strain: Purple Punch - Indica

Matrix: Concentrates & Extracts

Type: Distillate Sample Size: ; Batch Size: Produced:

Collected: Received: 07/14/2020

Completed: 07/17/2020 Batch#: GEXT-BP-2246

Client

Lic.#

162 Sur Boas Dr Santa Rosa, CA 95409

#### **Residual Solvents**

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	μg/g	µg/g	μg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	ND	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 07/17/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Kris Marsh Lab Director 07/17/2020

