

# Electric Grape

Overall Status: Pass

Sample ID: 2008NIVA0228.0577  
Strain: Electric Grape  
Matrix: Concentrates & Extracts  
Type: Distillate  
Sample Size: ; Batch Size:

Produced:  
Collected:  
Received: 08/31/2020  
Completed: 09/08/2020  
Batch#: GEXT-GM-9046

Client  
Glo Extracts  
Lic. #  
162 Sur Boas Dr  
Santa Rosa, CA 95409

	<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Pass</b>
	Foreign Matter SOPTS.4.001	Heavy Metals SOPTS.4.500 ICP-MS	Moisture SOPTS.4.001	Pesticides SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS
	<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Pass</b>
	Microbials SOPTS.4.600 PathogenDx	Solvents SOPTS.4.400 GC-MS	Water Activity NT SOPTS.4.003	Mycotoxins SOPTS.4.300 LC-MS/MS

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

<b>85.41%</b> 854.09 mg/g Total THC	<b>0.60%</b> 5.97 mg/g Total CBD	<b>90.31%</b> 903.07 mg/g Total Cannabinoids	<b>NT</b> Moisture
---	--	--	-----------------------

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
Δ9-THC	0.2400	0.8000	854.09	85.41
CBG	0.2400	0.8000	25.23	2.52
CBN	0.2400	0.8000	13.93	1.39
CBD	0.2400	0.8000	5.97	0.60
THCV	0.2400	0.8000	3.85	0.39
CBC	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	ND	ND
CBDV	0.2400	0.8000	ND	ND
CBGa	0.2400	0.8000	ND	ND
THCa	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
<b>Total THC</b>			<b>854.09</b>	<b>85.409</b>
<b>Total CBD</b>			<b>5.97</b>	<b>0.597</b>
<b>Total</b>			<b>903.07</b>	<b>90.307</b>

Density: g per 1 mL

Cannabinoids Date Tested: 09/03/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 09/01/2020



*Kris Marsh*  
Kris Marsh  
Lab Director  
09/08/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-000024-LIC

QA Testing

2 of 6

## Electric Grape

Overall Status: Pass

Sample ID: 2008NIVA0228.0577	Produced:	Client
Strain: Electric Grape	Collected:	
Matrix: Concentrates & Extracts	Received: 08/31/2020	Lic. #
Type: Distillate	Completed: 09/08/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-GM-9046	Santa Rosa, CA 95409

## Microbials

Pass

### Analyte

### Result

Analyte	Result
Aspergillus flavus	Not Detected in 1g
Aspergillus fumigatus	Not Detected in 1g
Aspergillus niger	Not Detected in 1g
Aspergillus terreus	Not Detected in 1g
Shiga toxin-producing E. Coli	Not Detected in 1g
Salmonella SPP	Not Detected in 1g

CFU/g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Date Tested: 09/04/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)



*Kris Marsh*

Kris Marsh  
Lab Director  
09/08/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Electric Grape


Overall Status: Pass

Sample ID: 2008NIVA0228.0577	Produced:	Client
Strain: Electric Grape	Collected:	
Matrix: Concentrates & Extracts	Received: 08/31/2020	Lic. #
Type: Distillate	Completed: 09/08/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-GM-9046	Santa Rosa, CA 95409

## Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Ochratoxin A	16	20	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass



Date Tested: 09/02/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS



  
Kris Marsh  
Lab Director  
09/08/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

QA Testing

4 of 6

## Electric Grape

Overall Status: Pass

Sample ID: 2008NIVA0228.0577	Produced:	Client
Strain: Electric Grape	Collected:	
Matrix: Concentrates & Extracts	Received: 08/31/2020	Lic. #
Type: Distillate	Completed: 09/08/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-GM-9046	Santa Rosa, CA 95409

## Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	<LOQ	Pass
Mercury	0.005	0.020	0.100	ND	Pass



Date Tested: 09/02/2020  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



  
Kris Marsh  
Lab Director  
09/08/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-000024-LIC

QA Testing

5 of 6

# Electric Grape

Overall Status: Pass

Sample ID: 2008NIVA0228.0577	Produced:	Client
Strain: Electric Grape	Collected:	
Matrix: Concentrates & Extracts	Received: 08/31/2020	Lic. #
Type: Distillate	Completed: 09/08/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-GM-9046	Santa Rosa, CA 95409

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metaxyl	0.010	0.020	2.00	0.04	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantraniliprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclbutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	<LOQ	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Fonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 09/02/2020  
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
 Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



*Kris Marsh*  
 Kris Marsh  
 Lab Director  
 09/08/2020

Confident Cannabis  
 All Rights Reserved  
 support@confidentcannabis.com  
 (866) 506-5866  
 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-000024-LIC

QA Testing

6 of 6

## Electric Grape

Overall Status: Pass

Sample ID: 2008NIVA0228.0577	Produced:	Client
Strain: Electric Grape	Collected:	
Matrix: Concentrates & Extracts	Received: 08/31/2020	Lic. #
Type: Distillate	Completed: 09/08/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#: GEXT-GM-9046	Santa Rosa, CA 95409

## Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	32.939	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	<LOQ	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	17.904	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 09/03/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Kris Marsh  
Lab Director  
09/08/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty