

Sour Lope

Overall Status: Pass

Sample ID: 2011NIVA0422.1212	Produced:	Client
Strain: Sour Lope	Collected:	Glo Extracts
Matrix: Concentrates & Extracts	Received: 11/17/2020	Lic. #
Type: Distillate	Completed: 11/23/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#:	Santa Rosa, CA 95409

	Pass	Pass	Not Tested	Pass
	Foreign Matter SOPTS.4.001	Heavy Metals SOPTS.4.500 ICP-MS	Moisture SOPTS.4.001	Pesticides SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS
	Pass	Pass	Not Tested NT	Pass
	Microbials SOPTS.4.600 PathogenDx	Solvents SOPTS.4.400 GC-MS	Water Activity SOPTS.4.003	Mycotoxins SOPTS.4.300 LC-MS/MS

Cannabinoids (SOPTS.4.100 HPLC Analysis)

81.914% 819.141 mg/g Total THC	0.445% 4.453 mg/g Total CBD	86.663% 866.625 mg/g Total Cannabinoids	NT Moisture
---	--	--	-----------------------

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
Δ9-THC	0.2400	0.8000	819.14	81.91
CBG	0.2400	0.8000	23.80	2.38
CBN	0.2400	0.8000	14.33	1.43
THCV	0.2400	0.8000	4.90	0.49
CBD	0.2400	0.8000	4.45	0.45
CBC	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	ND	ND
CBDV	0.2400	0.8000	ND	ND
CBGa	0.2400	0.8000	ND	ND
THCa	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
Total THC			819.141	81.9141
Total CBD			4.453	0.4453
Total			866.625	86.6625

Density: g per 1 mL

Cannabinoids Date Tested: 11/20/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 11/18/2020



Accreditation #101219
ISO/IEC 17025:2017

Kris Marsh
Kris Marsh
Lab Director
11/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-000024-LIC

QA Testing

2 of 4

Sour Lope

Overall Status: Pass

Sample ID: 2011NIVA0422.1212	Produced:	Client
Strain: Sour Lope	Collected:	
Matrix: Concentrates & Extracts	Received: 11/17/2020	Lic. #
Type: Distillate	Completed: 11/23/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#:	Santa Rosa, CA 95409

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/23/2020
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Units µg/kg	Status
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20.00	ND	Pass
Ochratoxin A	16	20	20.00	ND	Pass

Date Tested: 11/18/2020
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals

Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Units µg/g	Status
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	ND	Pass
Mercury	0.005	0.020	0.100	ND	Pass

Date Tested: 11/20/2020
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219
ISO/IEC 17025:2017

Kris Marsh
Kris Marsh
Lab Director
11/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

3 of 4

Sour Lope

Overall Status: Pass

Sample ID: 2011NIVA0422.1212	Produced:	Client
Strain: Sour Lope	Collected:	
Matrix: Concentrates & Extracts	Received: 11/17/2020	Lic. #
Type: Distillate	Completed: 11/23/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#:	Santa Rosa, CA 95409

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metalaxyl	0.010	0.020	2.00	ND	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantranilprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclbutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoxazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Flonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 11/18/2020
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
 Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Kris Marsh
 Kris Marsh
 Lab Director
 11/23/2020

Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6486
thenivalabs.com/
Lic# C8-0000024-LIC

Sour Lope

Overall Status: Pass

Sample ID: 2011NIVA0422.1212	Produced:	Client
Strain: Sour Lope	Collected:	Glo Extracts
Matrix: Concentrates & Extracts	Received: 11/17/2020	Lic. #
Type: Distillate	Completed: 11/23/2020	162 Sur Boas Dr
Sample Size: ; Batch Size:	Batch#:	Santa Rosa, CA 95409

Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	35.339	Pass
Acetonitrile	5.0	10	410.000	27.695	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	16.320	Pass
Ethyl-Acetate	5.0	10	5000.000	ND	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	37.257	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 11/19/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219
ISO/IEC 17025:2017

Kris Marsh
Kris Marsh
Lab Director
11/23/2020

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty