

The Niva Labs 13171 Telfair Ave Sylmar, CA 91342 (213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC **QA** Testing

1 of 4

Overall Status: Pass

Sample ID: 2102NIVA0118.0344 Strain: Animal Cookies Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size:

Produced: Collected: Received: 02/02/2021 Completed: 02/11/2021 Batch#: GEXT-BQ-7913

Client Glo Extracts Lic.# 162 Sur Boas Dr Santa Rosa, CA 95409

	Pass Foreign Matter SOPTS.4.001	Pass Heavy Metals SORTS.4.500 ICP-MS	Not Tested Moisture	Pass Pesticides SOPTS4.301 GC-MS/MS SOPTS4.300 LC-MS/MS	
	Pass Microbials SORTS.4.600 PathogenDx	Pass Solvents SOPTS.4.400 GC-MS	Not Tested NT Water Activity SORTS4.003	Pass Mycotoxins SOPTS.4.300 LC-MS/MS	

Cannabinoids (SOPTS.4.100 HPLC Analysis)

	793 mg/serving 793 mg/container Total THC	5.177 mg/serving 5.177 mg/container Total CBD		911.0	911.045 mg/serving 911.045 mg/container Total Cannabinoids		NT Moisture
Analyte	LOD	LOQ	Mass	Mass	Mass	Mass	
	mg/g	mg/g	mg/g	%	mg/serving	mg/package	
Δ9-THC	0.2400	0.8000	861.79	86.18	861.79	861.79	
CBG	0.2400	0.8000	25.08	2.51	25.08	25.08	
CBN	0.2400	0.8000	14.05	1.41	14.05	14.05	
CBD	0.2400	0.8000	5.18	0.52	5.18	5.18	
THCV	0.2400	0.8000	4.94	0.49	4.94	4.94	
CBC	0.2400	0.8000	ND	ND	ND	ND	
CBDa	0.2400	0.8000	ND	ND	ND	ND	
CBDV	0.2400	0.8000	ND	ND	ND	ND	
CBGa	0.2400	0.8000	ND	ND	ND	ND	
THCa	0.2400	0.8000	ND	ND	ND	ND	
Δ8-THC	0.2400	0.8000	ND	ND	ND	ND	
Total THC			861.793	86.179	861.793	861.793	
Total CBD			5.177	0.518	5.177	5.177	
Total			911.045	91.1045	911.045	911.045	

Density: g per 1 mL

Cannabinoids Date Tested: 02/04/2021 Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported a moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

: Water Activity Date Tested:

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 02/03/2021





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Noah Kaplan Lab Director

Accretization #101219 ISO/IEC 17025:2017 by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported relate only to the product ested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any uncertainty. Please contact The Niva Labs for information about measurement uncertainty.



The Niva Labs 13171 Telfair Ave Sylmar, CA 91342

(213) 225-6482 thenivalabs.com/ Lic# C8-000024-LIC

2 of 4

Overall Status: Pass

Sample ID: 2102NIVA0118.0344 Strain: Animal Cookies Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size:

Produced: Collected: Received: 02/02/2021 Completed: 02/11/2021 Batch#: GEXT-BQ-7913

Client Glo Extracts Lic.# 162 Sur Boas Dr Santa Rosa, CA 95409

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 02/04/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

				Pass
LOD	LOQ	Limit	Units	Status
µg/kg	µg/kg	µg/kg	µg/kg	
4.00	5.00		ND	Tested
4.00	5.00		ND	Tested
4.00	5.00		ND	Tested
4.00	5.00		ND	Tested
		20.00	ND	Pass
16	20	20.00	ND	Pass
	μg/kg 4.00 4.00 4.00 4.00	μg/kg μg/kg 4.00 5.00 4.00 5.00 4.00 5.00 4.00 5.00	μg/kg μg/kg μg/kg 4.00 5.00 4.00 5.00 4.00 5.00 4.00 5.00 20.00	μg/kg μg/kg μg/kg μg/kg 4.00 5.00 ND 4.00 5.00 ND

Date Tested: 02/03/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.200	ND	Pass
Cadmium	0.009	0.090	0.200	ND	Pass
Lead	0.009	0.090	0.500	ND	Pass
Mercury	0.005	0.020	0.100	ND	Pass

Date Tested: 02/04/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS









Noah Kaplan Lab Director

 Totaling
 Lab Director
 www.confidentcannabis.com

 ISO/IEC 17025:2017
 02/11/2021

 Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty.



The Niva Labs 13171 Telfair Ave Sylmar, CA 91342 (213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC **QA** Testing

3 of 4

Overall Status: Pass

Sample ID: 2102NIVA0118.0344 Strain: Animal Cookies Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size:

Produced: Collected: Received: 02/02/2021 Completed: 02/11/2021 Batch#: GEXT-BQ-7913

Client Glo Extracts Lic.# 162 Sur Boas Dr Santa Rosa, CA 95409

Pesticides

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.10	ND	Pass	Fludioxonil	0.040	0.050	0.10	ND	Pass
Acephate	0.050	0.100	0.10	ND	Pass	Hexythiazox	0.010	0.020	0.10	ND	Pass
Acequinocyl	0.040	0.050	0.10	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.10	ND	Pass	Imidacloprid	0.010	0.020	5.00	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.10	ND	Pass
Azoxystrobin	0.010	0.020	0.10	ND	Pass	Malathion	0.010	0.020	0.50	ND	Pass
Bifenazate	0.010	0.020	0.10	ND	Pass	Metalaxyl	0.010	0.020	2.00	ND	Pass
Bifenthrin	0.010	0.020	3.00	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.10	ND	Pass	Methomyl	0.010	0.020	1.00	ND	Pass
Captan	0.100	0.100	0.70	ND	Pass	Mevinphos	0.018	0.045	0.02	ND	Pass
Carbaryl	0.020	0.050	0.50	ND	Pass	Myclobutanil	0.040	0.050	0.10	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.10	ND	Pass
Chlorantraniliprole	0.040	0.050	10.00	ND	Pass	Oxamyl	0.010	0.020	0.50	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.02	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.10	ND	Pass
Clofentezine	0.010	0.020	0.10	ND	Pass	Permethrin	0.020	0.050	0.50	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.10	ND	Pass
Cyfluthrin	0.050	0.100	2.00	ND	Pass	Piperonyl Butoxide	0.010	0.020	3.00	ND	Pass
Cypermethrin	0.050	0.100	1.00	ND	Pass	Prallethrin	0.040	0.050	0.10	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.10	ND	Pass
Diazinon	0.010	0.020	0.10	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.50	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.10	ND	Pass
Dimethomorph	0.020	0.050	2.00	ND	Pass	Spinetoram	0.041	0.061	0.10	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.10	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.10	ND	Pass
Etoxazole	0.010	0.020	0.10	ND	Pass	Spirotetramat	0.020	0.050	0.10	ND	Pass
Fenhexamid	0.040	0.050	0.10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.10	ND	Pass
Fenpyroximate	0.010	0.020	0.10	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5.00	ND	Pass
Flonicamid	0.010	0.020	0.10	ND	Pass	Trifloxystrobin	0.010	0.020	0.10	ND	Pass

Date Tested: 02/03/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS





Noah Kaplan Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 ISO/IEC 17025:2017 by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported relate only to the product ested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any uncertainty. Please contact The Niva Labs for information about measurement uncertainty.





The Niva Labs 13171 Telfair Ave Sylmar, CA 91342 (213) 225-6482 thenivalabs.com/ Lic# C8-0000024-LIC **QA** Testing

4 of 4

Overall Status: Pass

Sample ID: 2102NIVA0118.0344 Strain: Animal Cookies Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size: Produced: Collected: Received: 02/02/2021 Completed: 02/11/2021 Batch#: GEXT-BQ-7913 Client Glo Extracts Lic. # 162 Sur Boas Dr Santa Rosa, CA 95409

Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.000	ND	Pass
Acetone	5.0	10	5000.000	ND	Pass
Acetonitrile	5.0	10	410.000	ND	Pass
Benzene	0.25	0.50	1.000	ND	Pass
Butane	5.0	10	5000.000	ND	Pass
Chloroform	0.25	0.50	1.000	ND	Pass
Ethanol	5.0	10	5000.000	ND	Pass
Ethyl-Acetate	5.0	10	5000.000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Ether	5.0	10	5000.000	ND	Pass
Ethylene Oxide	0.50	1.0	1.000	ND	Pass
Heptane	5.0	10	5000.000	ND	Pass
Isopropanol	5.0	10	5000.000	ND	Pass
Methanol	5.0	10	3000.000	ND	Pass
Methylene Chloride	0.25	0.50	1.000	ND	Pass
n-Hexane	5.0	10	290.000	ND	Pass
Pentane	5.0	10	5000.000	ND	Pass
Propane	5.0	10	5000.000	ND	Pass
Toluene	5.0	10	890.000	ND	Pass
Trichloroethene	0.25	0.50	1.000	ND	Pass
Xylenes	5.0	10	2170.000	ND	Pass

Date Tested: 02/04/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID





Noah Kaplan Lab Director

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Accreditation #101219 ISO/IEC 17025:2017 by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported relate only to the product ested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any uncertainty. Please contact The Niva Labs for information about measurement uncertainty.