

Ice Cream Cake

Sample ID: 2106NIVA0967.3129 Strain: Ice Cream Cake Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size:

Produced: Collected: Received: 06/22/2021 Completed: 06/30/2021

Batch#:

(213) 225-6482

thenivalabs.com/

Lic# C8-000024-LIC

Client Glo Extracts Lic.# 162 Sur Boas Dr Santa Rosa, CA 95409 **QA** Testing

1 of 4

Overall Status: Pass

<image/>	Pass Foreign Matter	Pass Heavy Metals SORTS.4.500 ICP-MS	Not Tested Moisture	Pass Pesticides SORTS.4.301 GC-MS/MS SORTS.4.300 LC-MS/MS	
	Pass Microbials SOP.TS.4.600 PathogenDx	Pass Solvents SORTS:4.400 GC-MS	Not Tested NT Water Activity SORTS:4.003	Pass Mycotoxins SORTS.4.3001.C-MS/MS	

Cannabinoids (SOP.TS. 4.100 HPLC Analysis)

83.452% 834.521 mg/g Total THC		0.806% 8.063 mg/g Total CBD	896.04	89.605% 896.048 mg/g Total Cannabinoids Mo		
Analyte	LOD	LOQ	Mass	Mass		
	mg/g	mg/g	mg/g	%		
∆9-THC	0.2400	0.8000	834.52	83.45		
∆8-THC	0.2400	0.8000	45.11	4.51		
CBD	0.2400	0.8000	8.06	0.81		
CBN	0.2400	0.8000	3.86	0.39		
CBG	0.2400	0.8000	3.58	0.36		
CBDV	0.2400	0.8000	0.91	0.09		
CBC	0.2400	0.8000	ND	ND		
CBDa	0.2400	0.8000	ND	ND		
CBGa	0.2400	0.8000	ND	ND		
THCa	0.2400	0.8000	ND	ND		
THCV	0.2400	0.8000	ND	ND		
Total THC			834.521	83.452		
Total CBD			8.063	0.806		
Total			896.048	89.6048		

Density: g per 1 mL Cannabinoids Date Tested: 06/29/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

; Water Activity Date Tested:

: Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 06/28/2021



ISO/IEC 17025:2017 06/30/2021 Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



Ice Cream Cake

Sample ID: 2106NIVA0967.3129 Strain: Ice Cream Cake Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size: Produced: Collected: Received: 06/22/2021 Completed: 06/30/2021 Batch#:

(213) 225-6482

thenivalabs.com/

Lic# C8-000024-LIC

Client Glo Extracts Lic. # 162 Sur Boas Dr Santa Rosa, CA 95409

Microbials Pass Analyte Result Status Aspergillus flavus Not Detected in 1g Pass Aspergillus fumigatus Not Detected in 1g Pass Aspergillus niger Not Detected in 1g Pass Aspergillus terreus Not Detected in 1g Pass Shiga toxin-producing E. Coli Not Detected in 1g Pass Salmonella SPP Not Detected in 1g Pass

Date Tested: 06/30/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins					Pass
Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 06/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals					Pass
Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.2	ND	Pass
Cadmium	0.009	0.090	0.2	ND	Pass

2 of 4

Overall Status: Pass

Lead	0.009	0.090	0.5	<loq< th=""><th>Pass</th></loq<>	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 06/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



Ice Cream Cake

Sample ID: 2106NIVA0967.3129 Strain: Ice Cream Cake Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size: Lic# C8-0000024-LIC

(213) 225-6482

thenivalabs.com/

Produced: Collected: Received: 06/22/2021 Completed: 06/30/2021 Batch#: Client Glo Extracts Lic. # 162 Sur Boas Dr Santa Rosa, CA 95409

Pesticides

Acephate 0.050 0.100 0.1 ND Pass Hexythiazox 0.010 0.020 0.1 ND Pass Acequinocyl 0.040 0.050 0.1 ND Pass Imidacloprid 0.010 0.020 0.1 ND Pass Acetamiprid 0.010 0.020 0.1 ND Pass Imidacloprid 0.010 0.020 5 ND Pass Aldicarb 0.010 0.020 0.1 ND Pass Malathion 0.010 0.020 0.5 ND Pass Azoxystrobin 0.010 0.020 0.1 ND Pass Metalaxyl 0.010 0.020 2 ND Pass Bifenthrin 0.010 0.020 0.1 ND Pass Methomyl 0.010 0.020 0.01 ND Pass Boscalid 0.040 0.050 0.1 ND Pass Methomyl 0.010 0.020 0.1 ND Pass	Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
Abamectin 0.040 0.050 0.1 ND Pass Fludioxonil 0.040 0.050 0.1 ND Pass Acephate 0.050 0.100 0.1 ND Pass Imazalil 0.040 0.050 0.1 ND Pass Acequinocyl 0.040 0.020 0.1 ND Pass Imazalil 0.040 0.020 0.1 ND Pass Acetamiprid 0.010 0.020 0.1 ND Pass Imidacloprid 0.010 0.020 0.1 ND Pass Aldicarb 0.010 0.020 0.1 ND Pass Metalaxyl 0.010 0.020 0.5 ND Pas Bifenzate 0.010 0.020 0.1 ND Pass Methorarb 0.010 0.020 1 ND Pass Bifenzate 0.010 0.70 ND Pass Methorarb 0.010 0.020 1 ND Pass Boscalid		µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Acequinocyl 0.040 0.050 0.1 ND Pass Imazalil 0.040 0.050 0.04 ND Pass Acetamiprid 0.010 0.020 0.1 ND Pass Imidacloprid 0.010 0.020 5 ND Pass Aldicarb 0.010 0.020 0.01 ND Pass Kresoxim Methyl 0.020 0.050 0.1 ND Pass Aldicarb 0.010 0.020 0.1 ND Pass Malathion 0.010 0.020 0.5 ND Pass Bifenazate 0.010 0.020 3 ND Pass Metalaxyl 0.010 0.020 0.01 ND Pass Bifenthrin 0.010 0.020 3 ND Pass Methorarb 0.010 0.020 0.01 ND Pass Captan 0.100 0.050 0.5 ND Pass Methopos 0.018 0.040 0.050 0.1 ND <t< th=""><th>Abamectin</th><th></th><th></th><th></th><th></th><th>Pass</th><th>Fludioxonil</th><th></th><th></th><th></th><th></th><th>Pass</th></t<>	Abamectin					Pass	Fludioxonil					Pass
Acetamiprid 0.010 0.020 0.1 ND Pass Imidacloprid 0.010 0.020 5 ND Pass Aldicarb 0.010 0.020 0.01 ND Pass Kresoxim Methyl 0.020 0.050 0.1 ND Pass Azoxystrobin 0.010 0.020 0.1 ND Pass Malathion 0.010 0.020 0.5 ND Pass Bifenthrin 0.010 0.020 3 ND Pass Methiocarb 0.010 0.020 0.1 ND Pass Boscalid 0.040 0.050 0.1 ND Pass Methiocarb 0.010 0.020 1 ND Pass Captan 0.100 0.7 ND Pass Methocarb 0.018 0.045 0.018 ND Pass Carbaryl 0.020 0.050 0.5 ND Pass Metoptatinil 0.040 0.050 0.1 ND Pass <t< th=""><th>Acephate</th><th>0.050</th><th>0.100</th><th>0.1</th><th>ND</th><th>Pass</th><th>Hexythiazox</th><th>0.010</th><th>0.020</th><th>0.1</th><th>ND</th><th>Pass</th></t<>	Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Aldicarb 0.010 0.020 0.01 ND Pass Kresoxim Methyl 0.020 0.050 0.1 ND Pass Azoxystrobin 0.010 0.020 0.1 ND Pass Malathion 0.010 0.020 0.5 ND Pass Bifenazate 0.010 0.020 0.1 0.04 Pass Metalaxyl 0.010 0.020 2 ND Pass Bifenthrin 0.010 0.020 3 ND Pass Methorarb 0.010 0.020 1 ND Pass Boscalid 0.400 0.050 0.1 ND Pass Methomyl 0.010 0.020 1 ND Pass Captan 0.100 0.70 ND Pass Metomyl 0.010 0.020 0.11 ND Pass Carboruan 0.010 0.020 0.050 0.5 ND Pass Maled 0.040 0.050 0.1 ND Pass	Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Azoxystrobin 0.010 0.020 0.1 ND Pass Malathion 0.010 0.020 0.5 ND Pass Bifenazate 0.010 0.020 0.1 0.04 Pass Metalaxyl 0.010 0.020 2 ND Pass Bifenthrin 0.010 0.020 3 ND Pass Methiocarb 0.010 0.020 0.01 ND Pass Boscalid 0.040 0.050 0.1 ND Pass Methocarb 0.010 0.020 0.1 ND Pass Captan 0.100 0.70 ND Pass Methomyl 0.010 0.020 0.11 ND Pass Carboruan 0.010 0.020 0.05 ND Pass Meyolobutanil 0.040 0.050 0.1 ND Pass Carboruan 0.010 0.020 0.05 10 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass <th>Acetamiprid</th> <th>0.010</th> <th>0.020</th> <th>0.1</th> <th>ND</th> <th>Pass</th> <th>Imidacloprid</th> <th>0.010</th> <th>0.020</th> <th>5</th> <th>ND</th> <th>Pass</th>	Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Bifenazate 0.010 0.020 0.1 0.04 Pass Metalaxyl 0.010 0.020 2 ND Pass Bifenthrin 0.010 0.020 3 ND Pass Methiocarb 0.010 0.020 0.01 ND Pass Boscalid 0.040 0.050 0.1 ND Pass Methonyl 0.010 0.020 1 ND Pass Captan 0.100 0.70 ND Pass Methonyl 0.010 0.020 1 ND Pass Carbaryl 0.020 0.050 0.5 ND Pass Metolobutanil 0.040 0.050 0.1 ND Pass Carbofuran 0.010 0.020 0.01 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 0.03 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass <td< th=""><th>Aldicarb</th><th>0.010</th><th>0.020</th><th>0.01</th><th>ND</th><th>Pass</th><th>Kresoxim Methyl</th><th>0.020</th><th>0.050</th><th>0.1</th><th>ND</th><th>Pass</th></td<>	Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Bifenthrin 0.010 0.020 3 ND Pass Methiocarb 0.010 0.020 0.01 ND Pass Boscalid 0.040 0.050 0.1 ND Pass Methomyl 0.010 0.020 1 ND Pass Captan 0.100 0.100 0.7 ND Pass Mevinphos 0.018 0.045 0.018 ND Pass Carbaryl 0.020 0.050 0.5 ND Pass Myclobutanil 0.040 0.050 0.1 ND Pass Carbofuran 0.010 0.020 0.011 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.04 ND Pass <th>Azoxystrobin</th> <th>0.010</th> <th>0.020</th> <th>0.1</th> <th>ND</th> <th>Pass</th> <th>Malathion</th> <th>0.010</th> <th>0.020</th> <th>0.5</th> <th>ND</th> <th>Pass</th>	Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Boscalid 0.040 0.050 0.1 ND Pass Methomyl 0.010 0.020 1 ND Pass Captan 0.100 0.100 0.7 ND Pass Mevinphos 0.018 0.045 0.018 ND Pass Carbaryl 0.020 0.050 0.5 ND Pass Myclobutanil 0.040 0.050 0.1 ND Pass Carbofuran 0.010 0.020 0.01 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlortenzine 0.030 0.050 0.03 ND Pass Chloreprifos 0.020 0.1 ND Pass Chloreprifos	Bifenazate	0.010	0.020	0.1	0.04	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Captan 0.100 0.100 0.7 ND Pass Mevinphos 0.018 0.045 0.018 ND Pass Carbaryl 0.020 0.050 0.5 ND Pass Myclobutanil 0.040 0.050 0.1 ND Pass Carbofuran 0.010 0.020 0.01 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.050 0.020 ND Pass Pertachloronitrobenzene 0.030 0.050 0.03 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.1 ND Pass	Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Carbaryl 0.020 0.050 0.5 ND Pass Myclobutanil 0.040 0.050 0.1 ND Pass Carbofuran 0.010 0.020 0.01 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.01 ND Pass Pertachloronitrobenzene 0.030 0.050 0.1 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Phosmet 0.010 0.020 0.1 ND Pass	Boscalid	0.040	0.050	0.1	ND	Pass		0.010	0.020	1	ND	Pass
Carbofuran 0.010 0.020 0.01 ND Pass Naled 0.040 0.050 0.1 ND Pass Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass Chlorfenapyr 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.050 0.020 ND Pass Pentachloronitrobenzene 0.030 0.050 0.03 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.1 ND Pass Coumaphos 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 0.1 ND <	Captan	0.100	0.100		ND	Pass	Mevinphos	0.018		0.018		Pass
Chlorantraniliprole 0.040 0.050 10 ND Pass Oxamyl 0.010 0.020 0.5 ND Pass Chlordane 0.030 0.050 0.03 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass Chlorfenapyr 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.050 0.020 ND Pass Pentachloronitrobenzene 0.030 0.050 0.1 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.1 ND Pass Coumaphos 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 0.1 ND Pass Cypermethrin 0.050 0.100 1 ND Pass Propiconazole 0.040 0.050 0.1 ND						Pass						Pass
Chlordane 0.030 0.050 0.03 ND Pass Paclobutrazol 0.040 0.050 0.04 ND Pass Chlorfenapyr 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.050 0.020 ND Pass Pentachloronitrobenzene 0.030 0.050 0.1 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.05 ND Pass Coumaphos 0.050 0.100 0.05 ND Pass Phosmet 0.010 0.020 0.1 ND Pass Cyfluthrin 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 3 ND Pass Cypermethrin 0.050 0.044 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass <th>Carbofuran</th> <th></th> <th></th> <th></th> <th></th> <th>Pass</th> <th>Naled</th> <th>0.040</th> <th></th> <th></th> <th></th> <th>Pass</th>	Carbofuran					Pass	Naled	0.040				Pass
Chlorfenapyr 0.030 0.050 0.03 ND Pass Parathion Methyl 0.030 0.050 0.03 ND Pass Chlorpyrifos 0.020 0.050 0.020 ND Pass Pentachloronitrobenzene 0.030 0.050 0.01 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.55 ND Pass Coumaphos 0.050 0.100 0.05 ND Pass Phosmet 0.010 0.020 0.1 ND Pass Cyfluthrin 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 0.1 ND Pass Cypermethrin 0.050 0.100 1 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Diazinon 0.010 0.020 0.1 ND Pass Propiconazole 0.040 0.050 0.1 ND <t< th=""><th></th><th></th><th></th><th></th><th></th><th>Pass</th><th></th><th></th><th></th><th></th><th></th><th>Pass</th></t<>						Pass						Pass
Chlorpyrifos 0.020 0.050 0.020 ND Pass Pentachloronitrobenzene 0.030 0.050 0.1 ND Pass Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.55 ND Pass Coumaphos 0.050 0.100 0.05 ND Pass Phosmet 0.010 0.020 0.1 ND Pass Cyfluthrin 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 3 ND Pass Cypermethrin 0.050 0.100 1 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Daminozide 0.040 0.050 0.04 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Diazinon 0.010 0.020 0.1 ND Pass Propoxur 0.010 0.020 0.01 ND Pass	Chlordane					Pass						Pass
Clofentezine 0.010 0.020 0.1 ND Pass Permethrin 0.020 0.050 0.5 ND Pass Coumaphos 0.050 0.100 0.05 ND Pass Phosmet 0.010 0.020 0.1 ND Pass Cyfluthrin 0.050 0.100 2 ND Pass Piperonyl Butoxide 0.010 0.020 3 ND Pass Cypermethrin 0.050 0.100 1 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Daminozide 0.040 0.050 0.04 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Diazinon 0.010 0.020 0.1 ND Pass Propoxur 0.010 0.020 0.01 ND Pass Dichlorvos 0.050 0.100 0.05 ND Pass Pyrethrins 0.042 0.084 0.5 ND Pass<												Pass
Coumaphos0.0500.1000.05NDPassPhosmet0.0100.0200.1NDPassPassCyfluthrin0.0500.1002NDPassPiperonyl Butoxide0.0100.0203NDPassCypermethrin0.0500.1001NDPassPrallethrin0.0400.0500.1NDPassDaminozide0.0400.0500.04NDPassPropiconazole0.0400.0500.1NDPassDiazinon0.0100.0200.1NDPassPropoxur0.0100.0200.01NDPassDichlorvos0.0500.1000.05NDPassPyrethrins0.0420.0840.5NDPassDimethoate0.0100.0200.01NDPassPyridaben0.0300.0500.1NDPass												Pass
Cyfluthrin0.0500.1002NDPassPiperonyl Butoxide0.0100.0203NDPassCypermethrin0.0500.1001NDPassPrallethrin0.0400.0500.1NDPassDaminozide0.0400.0500.04NDPassPropiconazole0.0400.0500.1NDPassDiazinon0.0100.0200.1NDPassPropoxur0.0100.0200.01NDPassDichlorvos0.0500.1000.05NDPassPyrethrins0.0420.0840.5NDPassDimethoate0.0100.0200.01NDPassPyridaben0.0300.0500.1NDPass												Pass
Cypermethrin0.0500.1001NDPassPrallethrin0.0400.0500.1NDPassDaminozide0.0400.0500.04NDPassPropiconazole0.0400.0500.1NDPassDiazinon0.0100.0200.1NDPassPropoxur0.0100.0200.01NDPassDichlorvos0.0500.1000.05NDPassPyrethrins0.0420.0840.5NDPassDimethoate0.0100.0200.01NDPassPyridaben0.0300.0500.1NDPass				0.05								Pass
Daminozide 0.040 0.050 0.04 ND Pass Propiconazole 0.040 0.050 0.1 ND Pass Diazinon 0.010 0.020 0.1 ND Pass Propoxur 0.010 0.020 0.01 ND Pass Dichlorvos 0.050 0.100 0.05 ND Pass Pyrethrins 0.042 0.084 0.5 ND Pass Dimethoate 0.010 0.020 0.01 ND Pass Pyridaben 0.030 0.050 0.1 ND Pass				2								Pass
Diazinon 0.010 0.020 0.1 ND Pass Propoxur 0.010 0.020 0.01 ND Pass Dichlorvos 0.050 0.100 0.05 ND Pass Pyrethrins 0.042 0.084 0.5 ND Pass Dimethoate 0.010 0.020 0.01 ND Pass Pyridaben 0.030 0.050 0.1 ND Pass				1								Pass
Dichlorvos 0.050 0.100 0.05 ND Pass Pyrethrins 0.042 0.084 0.5 ND Pass Dimethoate 0.010 0.020 0.01 ND Pass Pyridaben 0.030 0.050 0.1 ND Pass												Pass
Dimethoate 0.010 0.020 0.01 ND Pass Pyridaben 0.030 0.050 0.1 ND Pass												Pass
												Pass
Dimethamoush 0.000 0.000 0 ND Dee Crimetawaya				0.01								Pass
	Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
												Pass
	-											Pass
												Pass
												Pass
												Pass
												Pass
												Pass
Flonicamid 0.010 0.020 0.1 ND Pass Trifloxystrobin 0.010 0.020 0.1 ND Pas	Flonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

3 of 4

Overall Status: Pass

Pass

Date Tested: 06/28/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



Ice Cream Cake

Sample ID: 2106NIVA0967.3129 Strain: Ice Cream Cake Matrix: Concentrates & Extracts Type: Distillate Sample Size: ; Batch Size:

Produced: Collected: Received: 06/22/2021 Completed: 06/30/2021 Batch#:

(213) 225-6482

thenivalabs.com/

Lic# C8-000024-LIC

Client Glo Extracts Lic.# 162 Sur Boas Dr Santa Rosa, CA 95409

Residual Solvents

LOD	LOQ	Limit	Mass	Status
µg/g	µg/g	µg/g	µg/g	Pass
0.25	0.50	1.0	ND	Pass
5.0	10	5000	ND	Pass
5.0	10	410	ND	Pass
0.25	0.50	1.0	ND	Pass
5.0	10	5000	ND	Pass
0.25	0.50	1.0	ND	Pass
5.0	10	5000	ND	Pass
5.0	10	5000	289.610	Pass
	10			Pass
0.50	1.0	1.0	ND	Pass
				Pass
	10	5000		Pass
				Pass
				Pass
				Pass
	0.25 5.0 5.0 0.25 5.0 0.25	0.25 0.50 5.0 10 5.0 10 0.25 0.50 5.0 10 0.25 0.50 5.0 10 0.25 0.50 5.0 10 5.0 0.50 </td <td>0.25 0.50 1.0 5.0 10 5000 5.0 10 410 0.25 0.50 1.0 5.0 10 5000 5.0 10 5000 0.25 0.50 1.0 5.0 10 5000 0.25 0.50 1.0 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 3000 0.25 0.50 1.0 5.0 10 290 5.0 10 5000 5.0 10 5000 5.0 10 890 0.25 0.50 1.0</td> <td>0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 410 ND 0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 5000 ND 0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 290 ND 5.0 10 290 ND 5.0 10 200 ND 5.0 10 5000 ND 5.0 10 890 26.469 0.25 0.50 1.0 ND </td>	0.25 0.50 1.0 5.0 10 5000 5.0 10 410 0.25 0.50 1.0 5.0 10 5000 5.0 10 5000 0.25 0.50 1.0 5.0 10 5000 0.25 0.50 1.0 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 5000 5.0 10 3000 0.25 0.50 1.0 5.0 10 290 5.0 10 5000 5.0 10 5000 5.0 10 890 0.25 0.50 1.0	0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 410 ND 0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 5000 ND 0.25 0.50 1.0 ND 5.0 10 5000 ND 5.0 10 290 ND 5.0 10 290 ND 5.0 10 200 ND 5.0 10 5000 ND 5.0 10 890 26.469 0.25 0.50 1.0 ND


QA Testing

4 of 4

Overall Status: Pass

Date Tested: 06/28/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty