

Waferz

Overall Status: Pass

Sample ID: 2106NIVA0967.3140
Strain: Waferz
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 06/22/2021
Completed: 06/30/2021
Batch#:

Client
Glo Extracts
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409

	Pass	Pass	Not Tested	Pass
	Foreign Matter SOP:TS.4.001	Heavy Metals SOP:TS.4.500 ICP-MS	Moisture SOP:TS.4.001	Pesticides SOP:TS.4.301 GC-MS/MS SOP:TS.4.300 LC-MS/MS
	Pass	Pass	Not Tested NT	Pass
	Microbials SOP:TS.4.600 PathogenDx	Solvents SOP:TS.4.400 GC-MS	Water Activity SOP:TS.4.003	Mycotoxins SOP:TS.4.300 LC-MS/MS

Cannabinoids (SOP:TS.4.100 HPLC Analysis)

84.124% 841.243 mg/g Total THC	0.837% 8.365 mg/g Total CBD	90.341% 903.412 mg/g Total Cannabinoids	NT Moisture
--------------------------------------	-----------------------------------	---	----------------

Analyte	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %
Δ9-THC	0.2400	0.8000	841.24	84.12
Δ8-THC	0.2400	0.8000	45.33	4.53
CBD	0.2400	0.8000	8.37	0.84
CBN	0.2400	0.8000	3.88	0.39
CBG	0.2400	0.8000	3.59	0.36
CBDV	0.2400	0.8000	1.00	0.10
CBC	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	ND	ND
CBGa	0.2400	0.8000	ND	ND
THCa	0.2400	0.8000	ND	ND
THCV	0.2400	0.8000	ND	ND
Total THC			841.243	84.124
Total CBD			8.365	0.837
Total			903.412	90.3412

Density: g per 1 mL

Cannabinoids Date Tested: 06/29/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

; Water Activity Date Tested:

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 06/28/2021



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
06/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

2 of 4

Waferz

Overall Status: Pass

Sample ID: 2106NIVA0967.3140
Strain: Waferz
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 06/22/2021
Completed: 06/30/2021
Batch#:

Client
Glo Extracts
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409

Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 06/30/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 06/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Units	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.2	ND	Pass
Cadmium	0.009	0.090	0.2	ND	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 06/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



PJLA
Testing
Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
06/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

3 of 4

Waferz

Overall Status: Pass

Sample ID: 2106NIVA0967.3140
Strain: Waferz
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 06/22/2021
Completed: 06/30/2021
Batch#:

Client
Glo Extracts
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	0.04	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyfluthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoxazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Flonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 06/28/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan

Noah Kaplan
Lab Director
06/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

QA Testing

4 of 4

Waferz

Overall Status: Pass

Sample ID: 2106NIVA0967.3140
Strain: Waferz
Matrix: Concentrates & Extracts
Type: Distillate
Sample Size: ; Batch Size:

Produced:
Collected:
Received: 06/22/2021
Completed: 06/30/2021
Batch#:

Client
Glo Extracts
Lic. #
162 Sur Boas Dr
Santa Rosa, CA 95409

Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	Pass
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	ND	Pass
Ethyl-Acetate	5.0	10	5000	290.236	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
Isopropanol	5.0	10	5000	ND	Pass
Methanol	5.0	10	3000	ND	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	27.697	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xylenes	5.0	10	2170	ND	Pass

Date Tested: 06/28/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219
ISO/IEC 17025:2017

Noah Kaplan
Lab Director
06/30/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty