

## GEXT-LW-6412

METRC Batch: ; METRC Sample:

Sample ID: 2111ENC9588\_9266  
Strain: Kali Mist

Matrix: Concentrates & Extracts  
Type: Distillate  
Batch#:

Collected:  
Received: 11/18/2021  
Completed: 11/22/2021  
Sample Size: 10 units; Batch:




### Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	11/19/2021	LC-DAD	Complete
Residual Solvents	11/19/2021	HS-GC-MS	Pass
Microbials	11/22/2021	qPCR	Pass
Mycotoxins	11/19/2021	LC-MS	Pass
Pesticides	11/19/2021	LC-MS	Pass
Heavy Metals	11/22/2021	ICP-MS	Pass
Foreign Matter	11/19/2021	Visual Inspection	Pass

### Cannabinoids

Method: SOP EL-CANNABINOIDS

Complete



Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	%	mg/g
THCa	0.502	1.520	ND	ND
Δ9-THC	0.289	0.876	87.876	878.76
Δ8-THC	0.509	1.542	ND	ND
THCVa	0.169	0.507	ND	ND
THCV	0.347	1.052	0.619	6.19
CBDa	0.425	1.287	ND	ND
CBD	0.115	0.347	0.806	8.06
CBN	0.114	0.346	1.074	10.74
CBGa	0.427	1.295	ND	ND
CBG	0.164	0.498	3.923	39.23
CBCa	0.270	0.810	ND	ND
CBC	0.246	0.746	1.481	14.81
<b>Total THC</b>			<b>87.876</b>	<b>878.760</b>
<b>Total CBD</b>			<b>0.806</b>	<b>8.056</b>
<b>Total</b>			<b>95.778</b>	<b>957.783</b>

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director  
11/22/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

## GEXT-LW-6412

METRC Batch: ; METRC Sample:

Sample ID: 2111ENC9588\_9266  
Strain: Kali Mist

Collected:  
Received: 11/18/2021  
Completed: 11/22/2021  
Sample Size: 10 units; Batch:

Matrix: Concentrates & Extracts  
Type: Distillate  
Batch#:

### Pesticides

Method: SOP EL-PesticidesLCMS  
LC-MS

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.1	ND	Pass	Fludioxonil	0.01	0.05	0.1	ND	Pass
Acephate	0.002	0.01	0.1	ND	Pass	Hexythiazox	0.005	0.02	0.1	ND	Pass
Acequinocyl	0.01	0.02	0.1	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.1	ND	Pass	Imidacloprid	0.005	0.02	5	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.1	ND	Pass
Azoxystrobin	0.005	0.02	0.1	ND	Pass	Malathion	0.02	0.05	0.5	ND	Pass
Bifenazate	0.005	0.01	0.1	ND	Pass	Metalaxyl	0.002	0.005	2	ND	Pass
Bifenthrin	0.02	0.05	3	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.1	ND	Pass	Methomyl	0.01	0.02	1	ND	Pass
Captan	0.2	0.3	0.7	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.5	ND	Pass	Myclobutanil	0.005	0.01	0.1	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Naled	0.01	0.02	0.1	ND	Pass
Chlorantraniliprole	0.002	0.01	10	ND	Pass	Oxamyl	0.005	0.01	0.5	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	Pentachloronitrobenzene	0.02	0.05	0.1	ND	Pass
Clofentezine	0.01	0.02	0.1	ND	Pass	Permethrin	0.02	0.05	0.5	0.492	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.1	ND	Pass
Cyfluthrin	0.05	0.1	2	ND	Pass	Piperonyl Butoxide	0.02	0.05	3	0.614	Pass
Cypermethrin	0.1	0.2	1	ND	Pass	Prallethrin	0.005	0.02	0.1	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.1	ND	Pass
Diazinon	0.002	0.01	0.1	ND	Pass	Propoxur	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.5	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.1	ND	Pass
Dimethomorph	0.005	0.02	2	ND	Pass	Spinetoram	0.005	0.01	0.1	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.1	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.1	ND	Pass
Etoxazole	0.005	0.02	0.1	ND	Pass	Spirotetramat	0.005	0.01	0.1	ND	Pass
Fenhexamid	0.005	0.02	0.1	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.1	ND	Pass
Fenpyroximate	0.005	0.02	0.1	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5	ND	Pass
Fonicamid	0.01	0.02	0.1	ND	Pass	Trifloxystrobin	0.005	0.01	0.1	ND	Pass

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*  
Kevin Nolan  
Laboratory Director  
11/22/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

## GEXT-LW-6412

METRC Batch: ; METRC Sample:

Sample ID: 2111ENC9588\_9266  
Strain: Kali Mist

Collected:  
Received: 11/18/2021  
Completed: 11/22/2021  
Sample Size: 10 units; Batch:

Matrix: Concentrates & Extracts  
Type: Distillate  
Batch#:

### Residual Solvents

Method: SOP EL-RES\_SOLVENTS  
HS-GC-MS

Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.1	0.29	1	ND	Pass
Acetone	5.5	16.68	5000	ND	Pass
Acetonitrile	4.56	13.82	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	3.33	10	5000	ND	Pass
Chloroform	0.1	0.29	1	ND	Pass
Ethanol	3.33	10	5000	<LOQ	Pass
Ethyl-Acetate	3.33	10	5000	ND	Pass
Ethyl-Ether	3.33	10	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	3.33	10	5000	ND	Pass
Isopropanol	3.33	10	5000	<LOQ	Pass
Methanol	8.85	26.8	3000	ND	Pass
Methylene-Chloride	0.1	0.31	1	ND	Pass
n-Hexane	3.33	10	290	ND	Pass
Pentane	3.33	10	5000	ND	Pass
Propane	3.33	10	5000	ND	Pass
Toluene	3.33	10	890	ND	Pass
Trichloroethene	0.1	0.29	1	ND	Pass
Xylenes	6.66	20	2170	ND	Pass

Date Tested: 11/19/2021  
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director  
11/22/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

## GEXT-LW-6412

METRC Batch: ; METRC Sample:

Sample ID: 2111ENC9588\_9266  
Strain: Kali Mist

Collected:  
Received: 11/18/2021  
Completed: 11/22/2021  
Sample Size: 10 units; Batch:

Matrix: Concentrates & Extracts  
Type: Distillate  
Batch#:

### Mycotoxins

Method: SOP EL-PesticidesLCMS  
LC-MS

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Result µg/kg	Status
B1	2	4		ND	Tested
B2	2	4		ND	Tested
G1	2	4		ND	Tested
G2	2	4		ND	Tested
Ochratoxin A	1	2	20	ND	Pass
Total Aflatoxins			20	ND	Pass

Date Tested: 11/19/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Kevin Nolan  
Laboratory Director  
11/22/2021

Confident Cannabis  
All Rights Reserved  
[support@confidentcannabis.com](mailto:support@confidentcannabis.com)  
(866) 506-5866  
[www.confidentcannabis.com](http://www.confidentcannabis.com)



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

## GEXT-LW-6412

METRC Batch: ; METRC Sample:

Sample ID: 2111ENC9588\_9266

Strain: Kali Mist

Matrix: Concentrates & Extracts

Type: Distillate

Batch#:

Collected:

Received: 11/18/2021

Completed: 11/22/2021

Sample Size: 10 units; Batch:

## Microbials

Method: SOP EL-MICROBIALS  
qPCR

### Analyte

Aspergillus flavus

Aspergillus fumigatus

Aspergillus niger

Aspergillus terreus

Shiga toxin-producing E. Coli

Salmonella SPP

### Result

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Not Detected in 1g

Pass

Pass

Pass

Pass

Pass

Pass

Pass

Date Tested: 11/22/2021

## Heavy Metals

Method: SOP EL-HEAVYMETALS  
ICP-MS

### Analyte

Arsenic

Cadmium

Lead

Mercury

### LOD

µg/g

0.012

0.015

0.055

0.005

### LOQ

µg/g

0.036

0.044

0.167

0.015

### Limit

µg/g

0.200

0.200

0.500

0.100

### Result

µg/g

ND

ND

ND

ND

Pass

Pass

Pass

Pass

Pass

Pass

Date Tested: 11/22/2021

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



*Kevin Nolan*

Kevin Nolan  
Laboratory Director  
11/22/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



This report is not a California regulatory compliance certificate, it is for R&D/Quality Assurance purposes only. Values reported relate only to the product tested. Sample was tested as received from client. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.